





Revision Date: 05/24/2006 Issue date: 06/01/2006

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: HYSOL 9430 1 QT KT Item No. : 83114 RESIN Product type: **Epoxy Resin** Region: **United States**

Company address: Henkel Corporation 1001 Trout Brook Crossing

Telephone: 860.571.5100 Emergency telephone: 860.571.5100 Rocky Hill, Connecticut 06067 Internet: www.loctite.com

Contact Information:

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components Epichlorohydrin-4,4'-isopropylidene diphenol resin 25068-38-6	<u>%</u> 60-100	ACGIH TLV None	OSHA PEL None	OTHER None
Treated fumed silica 67762-90-7	1-5	10mg/m³ Inhalable fraction, 3mg/m³ Respirable fraction, TWA	5mg/m³ Respirable dust, 15mg/m³ Total dust	None
Soda lime borosilicate glass 65997-17-3	1-5	1 fiber/cm3 TWA respirable fibers: length > 5 µm, aspect ratio equal to or greater than 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination. 5 mg/m³ TWA inhalable fraction	0.1 mg/m³ TWA	None

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

HMIS:

Physical state: Paste **HEALTH:** 2 Color: Cream FLAMMABILITY: 1 Odor: Mild petroleum PHYSICAL HAZARD:

Personal Protection: See Section 8

MAY CAUSE ALLERGIC SKIN REACTION. **WARNING:**

MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.

Relevant routes of exposure: Eye contact, Ingestion, Inhalation, Skin contact

Potential Health Effects

Mild respiratory tract irritation. May cause irritation to nose and throat. Inhalation: Skin contact: Allergic skin reaction. Moderate skin irritation. Itching. Redness.

Eye contact: Moderate eye irritation. Redness.

Ingestion: Not expected under normal conditions of use.

Existing conditions aggravated by

exposure:

Skin disorders. Skin allergies. Respiratory disorders. Eye disorders.

4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If symptoms develop and persist, get medical attention.

Skin contact: Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing

and shoes. Get medical attention if symptoms occur.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. Keep individual calm. Get

medical attention if symptoms develop and persist.

Notes to physician: None.

5. FIRE-FIGHTING MEASURES

Flash point: Greater than 148.9°C (300°F) Tagliabue open cup

Autoignition temperature: Not available

Flammable/Explosive limits-lower %: Not available

Flammable/Explosive limits-upper %: Not available

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special fire fighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Unusual fire or explosion hazards: In the event of fire, cool tanks with water spray. Closed containers may rupture (due to build up of

pressure) when exposed to extreme heat.

Hazardous combustion products: Oxides of carbon. Irritating organic fragments. Acids. Aldehydes.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions: Prevent product from entering drains or open waters.

Clean-up methods: Remove all ignition sources. Immediately contact emergency personnel. Scrape up as much material

as possible. Clean residue with soap and water. Store in a closed container until ready for disposal.

7. HANDLING AND STORAGE

Handling: Keep away from heat, spark and flame. Do not breathe mist or vapors. Keep container closed. Avoid

contact with eyes, skin and clothing. Wash thoroughly after handling.

Storage: Store in original container until ready to use. Keep in a cool, well ventilated area away from heat,

sparks and open flame. Keep container tightly closed until ready for use.

Incompatible products: Refer to Section 10.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls: Use local exhaust ventilation to maintain airborne concentrations below established exposure limits.

Respiratory protection: Use a NIOSH approved air-purifying respirator if the potential to exceed established exposure limits

exists.

Skin protection: Chemical resistant, impermeable gloves.

Eye/face protection: Chemical splash goggles or safety glasses with side shields.

See Section 2 for exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Paste
Color: Cream
Odor: Mild petroleum
Vapor pressure: Nil

pH: Not applicable

Boiling point/range: Greater than 148.9°C (300°F)

Melting point/range:Not availableSpecific gravity:Greater than 1Vapor density:Not availableEvaporation rate:Not availableSolubility in water:InsolublePartition coefficient (n-octanol/water):Not available

VOC content: <1.0%, <10 grams/liter (value for resin and hardener together) (estimated)

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous polymerization: Will not occur.

Hazardous decomposition products: None

Incompatability: Strong acids. Strong oxidizers.

Conditions to avoid: Excessive heat. Storage with incompatible materials. Avoid mixing resin (Part A) and curing agent (Part

B) in batches greater than 2 pound (.9 kg) unless you plan to use immediately. Failure to observe these

precautions may result in excessive heat build-up causing an exotherm.

11. TOXICOLOGICAL INFORMATION

Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Epichlorohydrin-4,4'-isopropylidene diphenol resin	No	No	No
25068-38-6			
Treated fumed silica 67762-90-7	No	No	No
Soda lime borosilicate glass 65997-17-3	Suspect Carcinogen	Group 2B	Yes

<u>Literature Referenced Target Organ & Other Health Effects</u>

Hazardous components	Health Effects/Target Organs
Epichlorohydrin-4,4'-isopropylidene	Allergen, Irritant
diphenol resin	-
25068-38-6	
Treated fumed silica	Irritant
67762-90-7	
Soda lime borosilicate glass	Allergen, Respiratory
65997-17-3	

12. ECOLOGICAL INFORMATION

Ecological information: Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose according to EPA and local governmental regulations.

EPA hazardous waste number:Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

U.S. Department of Transportation Ground (49 CFR):

Proper shipping name: Not regulated

Hazard class or division:
Identification number:
Packing group:
None

International Air Transportation (ICAO/IATA):

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

WaterTransportation (IMO/IMDG):

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:
Marine pollutant:
Not regulated
None
None
None
None
None known

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

TSCA 12 (b) Export Notification: None.

CERCLA/SARA Section 302 EHS: None above reporting de minimus.

CERCLA/SARA Section 311/312: Immediate Health Hazard

CERCLA/SARA 313: None above reporting de minimus.

California Proposition 65: This product contains a chemical known to the State of California to cause cancer. Acrylonitrile (CAS#

107-13-1). Cyclohexene, 4-ethenyl- (CAS# 100-40-3). Phenyl glycidyl ether (CAS# 122-60-1). Sodium

Aluminum Borosilicate (CAS# 65997-17-3).

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Domestic Substances List.

WHMIS hazard class: D.2.B

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: New information added in section(s): 2

Prepared by:

Gary Pierson, Sr. Product Safety and Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.